

ADVANCES IN ANESTHESIA

INDEX

A

- Abdominal wall, nerve blocks of, ultrasound-guided, 200–201
- Acetaminophen, for pain management in children, 147–148
- Aintree Intubation Catheter, 226–227
- Airtaq Scope, in airway management, 219
- Airway exchange catheters, in airway management, 226–230
- Airway management
- cricothyrotomy in, 224–225
 - devices for, **205–232**. See also specific types, e.g., *Supraglottic airway devices*, airway exchange catheters, 226–230
 - Chou Airway, 211–212, 216
 - Cobra Perilaryngeal Airway, 211, 214
 - Combitube, 212–213, 217
 - intubation aids, 213–223. See also *Intubation aids, in airway management*.
 - rigid laryngoscopes, 220–223
 - Streamlined Liner of the Pharynx Airway, 211, 215
 - supraglottic airway devices, 205–213
 - patient assessment in, 205
 - percutaneous transtracheal jet ventilation in, 223–224
 - retrograde intubation in, 223
 - tracheostomy in, 225–226
- Allogeneic blood transfusion, alternatives to, 49
- Alpha-2 agonists, for pain management in children, 161–162
- AmbuAuraOnce, 208, 210
- Analgesia/analgesics
- for pain management in children, 145–187. See also specific types and *Pain, in children, management of*.
 - continuous epidural analgesia, 167–176. See also *Continuous epidural analgesia, for pain management in children*.
 - patient-controlled analgesic therapy, 154–156
 - preemptive, 146–147
 - spinal, in preterm and young infants, 172–175
 - levels of, defined, 104
- Anesthesia/anesthetics
- automated, **17–39**. See also *Automated anesthesia*.
 - general, defined, 104
 - in children, obesity effects on, **79–101**. See also *Obesity, in children*.
 - in surgical management of obesity, 66–75. See also *Obesity, treatment of, anesthesia management*.
 - local
 - for pain management in children, toxicity of, management of, 177–178
 - in epidural analgesia, for pain management in children, 171–172 - regional, ultrasound in, **189–204**. See also *Ultrasound, in regional anesthesia*.
 - regional blocks, for pain management in children, 163
 - robotic, 35–36
 - value in, creating of, 128
- Anesthesiologist(s), role in health care resource management, **1–16**
- Anti-inflammatory drugs, nonsteroidal (NSAIDs), for pain management in children, 148–150
- AORN, defined, 14
- Arndt Airway Exchange Catheter Set, 227
- Autologous blood donation, preoperative, 49–51
- Automated anesthesia, **17–39**
- closed-loop administration in, 23–26, 34–35
 - described, 17–19
 - development of, status in, 20–32
 - drug administration in, 19–20

Note: Page numbers of article titles are in **boldface** type.

- Automated (*continued*)
 future of, 32–36
 monitoring display in, 20–23
 monitoring in, 32–34
 personal digital assistant–technological
 development in, 31–32
 record keeping in, 26
 robotic, 35–36
 simulators in, 28–31, 35
- Axillary nerve block, ultrasound-guided,
 195–196
-
- B**
- Benzodiazepine(s), 105
- Blood conservation, strategies for, 49
- Blood transfusions. See also specific types.
 allogeneic, alternatives to, 49
- Bronchoscopy, fiberoptic, in airway
 management, 215–217
- Bullard laryngoscope, in airway management,
 220–222
-
- C**
- Capital planning, defined, 14
- Cardiovascular system, obesity effects on,
 61–63
- Catheter(s)
 airway exchange, in airway
 management, 226–230
 epidural, ultrasound-guided placement
 of, in continuous epidural
 analgesia for pain management in
 children, 169–170
- Central services, defined, 14
- Chemical hazard communication standard
 (CHCS), defined, 14
- Children
 obesity in, anesthesia impact of, **79–101**.
 See also *Obesity, in children*.
 pain in
 assessment of, 144–145
 management of, **143–187**
 advances in, **143–187**. See
 also *Pain, in children,*
management of.
- Chou Airway, 211–212, 216
- Clonidine, for pain management in children,
 165–166
- Coagulation system, obesity effects on, 63
- Cobra Perilaryngeal Airway, 211, 214
- Combitube, 212–213, 217
- Compatibility testing, advances in, 43–45
- Compensation, beyond salary, 131–133
- Compensation formulas, for rewarding value,
 129–130
- Competitiveness, understanding one's,
 128–129
- Compliance, billing for, 133–134
- Consignment, defined, 15
- Continuous epidural analgesia, for pain
 management in children, 167–176
 confirming epidural catheter placement
 in, 167–168
 described, 167
 ECG guidance, 170
 local anesthetics, 171–172
 radiographic confirmation, 169
 Tsui test, 170–171
 ultrasound in peripheral nerve blocks,
 175–176
 ultrasound-guided placement of epidural
 catheters, 169–170
- Cook Airway Exchange Catheter, 227, 228
- Coronary artery disease, obesity and, 62
- Cricothyrotomy, in airway management,
 224–225
- Cryoprecipitate, advances in, 53–54
-
- D**
- Degenerative joint disease, obesity and, 64–65
- Delayed transfusion reactions, advances in,
 48
- Depression, respiratory, management of, 177
- Determination PAR level, defined, 15
- Diabetes mellitus
 in children, obesity and, 86
 type II, obesity and, 61
- DOT, defined, 15
- Drug(s), administration of, in automated
 anesthesia, 19–20
 closed-loop administration, 23–26
 target controlled infusion systems,
 26–28, 34
-
- E**
- ECG. See *Electrocardiography (ECG)*.
- EDI, defined, 15
- Electrocardiography (ECG), in continuous
 epidural analgesia for pain management
 in children, 170
- Endocrine system, obesity effects on, 61
- Endocrinology, of children, obesity effects on,
 87
- Endocrinopathy(ies), obesity and, 61
- EPA, defined, 15

Epidural block, caudal, single-shot, for pain management in children, 163–164

Epidural catheter(s), ultrasound-guided placement of, in continuous epidural analgesia for pain management in children, 169–170

F

Femoral nerve block, ultrasound-guided, 197–198

Fentanyl, for pain management in children, 151

Fiberoptic bronchoscopy, in airway management, 215–217

Flexible-tip laryngoscope blades, in airway management, 219

Fresh-frozen plasma, advances in, 52–53

Fresh-thawed plasma, advances in, 52–53

Frova Intubating Introducer, 228, 229

G

Gabapentin, for pain management in children, 160–161

Gallbladder disease, obesity and, 64

Gastroesophageal reflux, obesity and, 64

Gastrointestinal system, obesity effects on, 64

Gel, in ultrasound-assisted regional anesthesia, 190

Glucose intolerance, obesity and, 61

GPO, defined, 15

Group purchasing organizations, in health care resource management, 13–14

H

Health care resource management
 anesthesiologist's role in, **1–16**
 capital equipment vs. supplies in, 2
 flow of product in, 1
 group purchasing organizations in, 13–14
 integrated delivery networks in, 13–14
 inventory in, 2–8. See also *Inventory, in health care resource management.*
 procuring equipment in, decision process of, 8–9
 ROI analysis in, 12–13
 value analysis in, 9–12

Heart, of children, obesity effects on, 85–86

Heart failure
 obesity and, 62
 right, obesity and, 63

Hydromorphone, for pain management in children, 151–153

Hypertension, obesity and, 61–62

I

Iliohypogastric/ilioinguinal nerve block, ultrasound-guided, 200–201

Immune system, obesity effects on, 63

Incentive(s), 130–131

Infant(s), preterm and young, spinal analgesia for, for pain management, 172–175

Infection control, in ultrasound-assisted regional anesthesia, 190

Infraclavicular nerve block, ultrasound-guided, 195

Integrated delivery networks, in health care resource management

International Obesity Task Force, 59

Interscalene nerve block, ultrasound-guided, 192–193

Intubating Laryngeal Airway, 208, 211

Intubation aids, in airway management, 213–223
 fiberoptic bronchoscopy, 215–217
 newer devices, 219–220
 optical stylets, 217–219
 patient preparation for, 213–214
 types of, 215

Inventory
 defined, 15
 in health care resource management
 control of, 2–4
 distribution of, 5–7
 management of, 4–5
 receiving of, 5–7
 standardization of, 7–8
 storage of, 7
 valuation of, 5

Inventory turns, defined, 15

J

JCAHO, defined, 15

JIT, defined, 15

K

Ketamine, for pain management in children, 159, 166

Ketorolac, for pain management in children, 158–159

King Laryngeal Tube, 210, 213

L

- Laryngeal mask airway (LMA), 205–210
- Laryngeal Tube, 210, 213
- Laryngoscope(s)
- Bullard, in airway management, 220–222
 - rigid, in airway management, 220–223
 - Wu, in airway management, 222–223
- Lidocaine, for pain management in children, 162
- Liver, of children, obesity effects on, 86–87
- LMA. See *Laryngeal mask airway (LMA)*.
- LMA Ctrach, 207, 209
- LMA Fastrach, 206, 207
- LMA Flexible, 206, 209
- LMA Proseal, 206, 208
- LMA Unique, 206, 207
- Local anesthetics
- for pain management in children, toxicity of, management of, 177–178
 - in epidural analgesia, for pain management in children, 171–172
- Lowest unit of measure, defined, 15
- Lumbar plexus, nerve block of, ultrasound-guided, 197

M

- Massive transfusion protocol, advances in, 55–57
- Material safety data sheet (MSDS), defined, 15
- Methadone, for pain management in children, 153–154
- Midazolam, for pain management in children, 166
- Morbidly obese patients, perioperative considerations in, 59–77. See also *Obesity*.
- Morphine, for pain management in children, 151
- MUE, defined, 15
- Musculoskeletal system, obesity effects on, 64–65
- in children, 87

N

- Neostigmine, for pain management in children, 166–167
- Nerve blocks. See also specific type or site.

ultrasound-guided, 190–201. See also *Ultrasound, in regional anesthesia, techniques*.

- Nervous system, obesity effects on, 65
- Neuraxial nerve block, ultrasound-guided, 200
- Neurologic system, of children, obesity effects on, 87
- NFPA, defined, 15
- Nonalcoholic steatohepatitis, obesity and, 64
- Non-red blood cell components, transfusion of, 51–52
- NSAIDs. See *Anti-inflammatory drugs, nonsteroidal (NSAIDs)*.

O

- Obese children, anesthetic care of, 87–94
- postoperative considerations, 93
 - preoperative management, 88–93
 - preoperative workup, 88
 - surgical techniques, 94
- Obesity
- cardiovascular system effects of, 61–63
 - comorbidities associated with, 61–65
 - defined, 59
 - endocrine system effects of, 61
 - epidemiology of, 59–60
 - gastrointestinal system effects of, 64
 - immune and coagulation system alterations associated with, 63
 - in children
 - anesthesia impact of, 79–101. See also *Obese children, anesthetic care of*.
 - causes of, 82
 - defined, 79–81
 - diabetes mellitus due to, 86
 - physiology of, 83–87
 - musculoskeletal system effects of, 64–65
 - nervous system effects of, 65
 - pathophysiology of, 60–61
 - perioperative considerations and, 59–77
 - prevalence of, 59
 - public health issues associated with, 59–60
 - respiratory system effects of, 63–64
 - treatment of, 67–68
 - anesthesia management, 66–75
 - intraoperative, 68–74
 - postoperative, 74–75
 - preoperative evaluation, 66–68
 - medical, 65
 - nonpharmacologic, 65
 - surgical, 65–66
- Obesity hyperventilation syndrome, 63
- Obstructive sleep apnea, obesity and, 63

- Opioid(s), 105
 for pain management in children,
 150–151, 165
 continuous infusions of, 154–156
 parenteral, 151–157
- Optical stylets, in airway management,
 217–219
- Optimal sedation plan
 designing of, 114–117
 implementation of, 117–118
- OSHA, defined, 15
-
- P**
- Pain, in children
 assessment of, 144–145
 management of
 acetaminophen, 147–148
 advances in, **143–187**
 alpha-2 agonists, 161–162
 clonidine, 165–166
 combination agents, 150
 complications of, 177–178
 continuous epidural analgesia,
 167–176. See also *Continuous
 epidural analgesia, for pain
 management in children.*
 continuous opioid infusions,
 154–156
 fentanyl, 151
 gabapentin, 160–161
 hydromorphone, 151–153
 individual variation in medication
 requirements, 145
 ketamine, 159, 166
 ketorolac, 158–159
 lidocaine, 162
 methadone, 153–154
 midazolam, 166
 morphine, 151
 multimodal analgesia, 145–146
 neostigmine, 166–167
 NSAIDs, 148–150
 opioids, 150–151, 165
 parenteral, 151–157
 oral medications, 147–151
 preemptive analgesia, 146–147
 regional anesthetic blocks, 163
 remifentanyl, 153
 side effects of, 177–178
 single-shot caudal epidural block,
 163–164
 tramadol, 159–160
- PAR, defined, 15
- Paravertebral nerve block, ultrasound-guided,
 200
- Parenteral opiate/opioid therapy, for pain
 management in children, 151–157
- Partnering, 136–139
- Patient-controlled analgesic therapy, for pain
 management in children, 154–156
- Percutaneous transtracheal jet ventilation, in
 airway management, 223–224
- Peripheral nerve blocks, ultrasound in,
 for pain management in children,
 175–176
- Personal digital assistant–technological
 development, in automated anesthesia,
 31–32
- Plasma, advances in, 52–53
- Platelet(s), advances in, 53
- Popliteal nerve block, ultrasound-guided, 199
- Portex Venn Tracheal Tube Introducer, 228,
 230
- Portix-Soft Seal, 208, 210
- Practice management
 challenges in, **127–142**. See also *Value.*
 competing on quality, 134–136
 customer service and throughput,
 134
 partnering, 136–139
 understanding and delivering
 value, 127–134
 delivering of, 127–134
- Preoperative autologous blood donation,
 49–51
- Preterm infants, spinal analgesia for, for pain
 management, 172–175
- Probe(s), in ultrasound-assisted regional
 anesthesia, 190
- Probe covers, in ultrasound-assisted regional
 anesthesia, 190
- Propofol
 administration of
 by nonanesthesia providers,
103–125
 anesthesiologist's perspective
 on, 113–114
 gastroenterologist's
 perspective on,
 106–110
 patient's perspective on,
 110–113
 personnel for, 118–119
 described, 105–106
- Prothrombin complex concentrate, advances
 in, 54–55
- Psychology, obesity effects on, 87
-
- Q**
- Quality, competing on, 134–136

R

- Radiography, in continuous epidural analgesia confirmation, for pain management in children, 169
- Recombinant factor VIIA, advances in, 54
- Record keeping, automated anesthesia, 26
- Red blood cell transfusions
advances in, 41–43
conventional, risks associated with, 45–46
- Redefining Health Care*, 127
- Regional anesthesia, ultrasound in, **189–204**.
See also *Ultrasound, in regional anesthesia*.
- Regional anesthetic blocks, for pain management in children, 163
- Remifentanyl, for pain management in children, 153
- Respiratory depression, analgesics and, management of, 177
- Respiratory system, obesity effects on, 63–64
in children, 83–85
- Restrictive lung disease of extrinsic etiology, obesity and, 63–64
- Retrograde intubation, in airway management, 223
- Return on investment (ROI) analysis, in health care resource management, 12–13
- Right heart failure, obesity and, 63
- Rigid laryngoscopes, in airway management, 220–223
- Robotic anesthesia, 35–36
- ROI analysis. See *Return on investment (ROI) analysis*.

S

- Saphenous nerve block, 199–200
- Sciatic nerve block, ultrasound-guided, 198
- Sedation, continuum of depth of, 104
- Simulator(s), in automated anesthesia, 28–31, 35
- Single-shot caudal epidural block, for pain management in children, 163–164
- Sleep apnea, obstructive, obesity and, 63
- Sourcing and contracts, defined, 15
- SPD, defined, 15
- Spinal analgesia, in preterm and young infants, for pain management, 172–175
- Steatohepatitis, nonalcoholic, obesity and, 64

- Streamlined Liner of the Pharynx Airway, 211, 215
- Stylet(s), optical, in airway management, 217–219
- Subgluteal nerve block, ultrasound-guided, 198
- Supply chain, defined, 15
- Supraclavicular nerve block, ultrasound-guided, 193–194
- Supraglottic airway devices, 205–213
laryngeal mask airway, 205–210

T

- Target controlled infusion systems, in automated anesthesia, 26–28, 34
- Total deliverable cost, defined, 15
- Total delivered cost, capital, defined, 15
- Tracheostomy, in airway management, 225–226
- Trachlight, in airway management, 219–220
- Tramadol, for pain management in children, 159–160
- Transfusion(s)
metabolic complications of, 48
of non–red blood cell components, 51–52
red blood cell. See *Red blood cell transfusions*.
- Transfusion medicine, advances in, **41–58**
alternatives to allogeneic blood transfusion, 49
blood conservation strategies, 49
compatibility testing, 43–45
cryoprecipitate, 53–54
massive transfusion protocol, 55–57
metabolic complications, 48
plasma, 52–53
platelets, 53
preoperative autologous blood donation, 49–51
prothrombin complex concentrate, 54–55
recombinant factor VIIA, 54
red blood cell transfusions, 41–43, 45–46
transfusion of non–red blood cell components, 51–52
transfusion reactions, 46–48
- Transfusion reactions
advances in, 46–48
delayed, 48
- Transversus abdominus block, ultrasound-guided, 201
- Tsui test, 170–171

U

Ultrasound

- in peripheral nerve blocks, for pain management in children, 175–176
- in regional anesthesia, **189–204**
 - equipment for, 190
 - general principles of, 189
 - infection control in, 190
 - techniques, 190–201
 - abdominal wall, 200–201
 - iliohypogastric/ilioinguinal, 200–201
 - transversus abdominus block, 201
 - general principles, 190–191
 - lower extremity, 197–200
 - femoral, 197–198
 - lumbar plexus, 197
 - neuraxial, 200
 - paravertebral, 200
 - popliteal, 199
 - saphenous, 199–200
 - sciatic, 198
 - subgluteal, 198
 - outcomes studies, 201–202
 - upper extremity, 191–196

- axillary, 195–196
- infraclavicular, 195
- interscalene, 192–193
- supraclavicular, 193–194

V

Value

- compensation formulas for rewarding, 129–130
 - in anesthesia, creating of, 128
 - practice structure and alignment around, 133
 - understanding of, 127–134
- Value analysis, defined, 16
- Ventilation, percutaneous transtracheal jet, in airway management, 223–224
- VideoMAC scope, in airway management, 219
- Vital Seal Laryngeal Mask airway, 209, 212

W

-
- Wu laryngoscope, in airway management, 222–223